




RF Power Amplifiers (PA) & Bidirectional Amplifiers (BDA) for **Counter UAS**

Custom Solutions for Detection, Identification, and Mitigation



At a Glance

- Increase UAV Detection Range
- Extend C-UAS RF Mitigation Range
- Cover Frequencies from UHF to C-Band
- Custom Developed Solutions to Fit Your Current Needs
- Signal Jamming
- In-house Contract Manufacturing
- AS9100 Certified Quality Management System
- Counter UAS R&D and Testing



NuWaves RF Solutions is committed to amplifying RF Mitigation and RF Detection Counter UAS technologies because we are dedicated to supporting the warfighters and officers in harm's way.

New enemies and threats are constantly evolving to meet the warfighter on the battlefield and the Customs and Border Protection (CBP) officer on the perimeter. NuWaves is committed to enhancing the protection of these individuals in the ever-evolving Counter UAS sector by assisting OEMs and the DoD/DHS to extend RF mitigation and detection ranges.

The modern battlefield and homeland security atmosphere have changed significantly with the availability of commercial drones. Enemy organizations are using drones to give them an edge against the U.S. Warfighters and U.S. law enforcement. Drones are now used for a wide range of applications including battlefield reconnaissance, identification

of smuggling routes, prison contraband, and these uses continue to evolve. Recently, they have even turned into flying IED's. The need for increasing innovative technology to combat the enemy has been met by NuWaves power amplifiers and bidirectional amplifiers. With NuWaves' technology, UAS companies are able to operate and attack threats at further distances than ever before.



Border Patrol



Battlefield Reconnaissance



Enemy Drone Swarms

Our technologies are actively helping to protect, mitigate, and detect against:

- Battlefield Reconnaissance
- FOB Defense
- UAVIED'S (Unmanned Aerial Vehicle Improvised Explosive Devices)
- Enemy Drone Swarms
- Critical Infrastructure
 - Oil Rigs, Nuclear Power Plants, Oil Rigs, Communications Systems, etc.
- Enhanced Detection Range of Drug Smuggling UAV's at the Border
- Prison Contraband
- Human Trafficking
- Airport and Venue Security
- Border Security
- Vehicle Mounted Systems

Enhance your system's capabilities and stop UAV bad actors in their tracks.

Top 3 Use Cases for NuWaves' Innovative GaN Technology:

- RF mitigation through increased RF signal range extension
- UAV detection range extension
- Signal jamming

Bidirectional Amplifiers (BDA) offer all in one solution for Counter UAS. Transmit enables C-UAS Mitigation, while Receive can assist in identification and detection. NuWaves' BDAs are available in both half and full duplex.


NuPower™ 11B02A-TAC RF Power Amplifier

Frequency: 200 MHz to 2.6 GHz

Size: 2.34" x 1.96" x 0.62"

TX Gain: 40 dB

TX Output: 10 W (Psat)



NuPower™ 13G05A RF Power Amplifier

Frequency: 800 MHz to 2.0 GHz

Size: 4.50" x 3.50" x 0.61"

TX Gain: 47 dB

TX Output: 50 W (Psat)



NuPower Xtender™ ULSC-20-C01-S01 RF Bidirectional Amplifier

Frequency: 500 MHz to 6.0 GHz

Size: 3.00" x 2.00" x 1.16"

TX Gain: 13 dB

TX Output: 20 W (Psat)



NuPower™ S100A01 RF Power Amplifier

Frequency: 2.0 GHz to 2.5 GHz

Size: 3.57" x 2.57" x 0.50"

TX Gain: 21 dB

TX Output: 125 W (Psat)



NuPower Xtender™ C10RX03 RF Bidirectional Amplifier

Frequency: 4.4 GHz to 5.5 GHz

Size: 3.57" x 2.57" x 0.50"

TX Gain: 10 dB

TX Output: 10 W (Psat)




Custom Power Amplifier Design

- Provide your concept (parameters, specs, etc.)
- Let our engineers create a custom design
- In-house MIL-STD testing, including environmental testing
- Quick-turn, in-house manufacturing and production





Performance measurements are provided in the following graphs to summarize the link margin improvements using the NuWaves NW-BA-12B04A-D27 BDAs. The RF path attenuator value as indicated on the horizontal axis of the graphs represents path loss and can be used to determine link distance. NuWaves chose to represent the link distance in terms of path loss since the overall link distance will vary on other system parameters such as antenna gain, fade margin, etc and these parameters will vary from system to system.


Counter UAS Link with no Amplification Settings: 10 MHz BW



NuWaves helps clients achieve range extension by improving the link distance by up to 8-10X.



Counter UAS link with amplification: 10 MHz BW, Modulation comparison



Commitment to Our Military and Our Customers




NuWaves Engineering endeavors to provide one-of-a-kind technical solutions for the U.S. Military—including high-technology products and engineering services—and to achieve unsurpassed EXCELLENCE in client satisfaction.

*NUWAVES IS KNOWN THROUGHOUT THE INDUSTRY FOR **HIGH-PERFORMANCE MINIATURE DESIGNS, QUICK-TEMPO AND COST-EFFECTIVE SOLUTIONS**, MEETING THE MOST DEMANDING CUSTOMER REQUIREMENTS.*



A veteran-owned small business (VOSB) founded in 2000, NuWaves Engineering is a premier supplier of Radio Frequency (RF) and Microwave solutions for military, government, industrial, and commercial customers. NuWaves provides quick-tempo design and engineering services that address the most demanding customer requirements, especially with regard to

hardware size, weight and power (SWaP) optimization, cost and – oftentimes equally important – schedule. NuWaves also offers a broad catalog of high-performance commercial off-the-shelf (COTS) RF products, many of which have been derived from custom developments.



Through our concept to production capability, NuWaves is uniquely positioned to provide a quick-turn solution to your system's needs. Our skilled engineering team provides insight during the stages of design and development. In addition, NuWaves has an in-house anechoic chamber, vibration/shock table, and temperature and humidity chambers to test a wide range of EMI/EMC and environmental conditions for military applications.



513.360.0800



132 Edison Dr. Middletown, OH



sales@nuwaves.com



www.nuwaves.com

Rev 091522 ©2022 NuWaves Ltd. Specifications subject to change without notice. Export of NuWaves Ltd. products are subject to U.S. export controls. U.S. export licenses may be required. For information on product disposal (end-of-life), please refer to the following: <https://nuwaves.com/wp-content/uploads/Product-Disposal-End-of-Life.pdf>